

Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
			M/S IBN-SINA HOSPITAL
1	Particulars of the Occupier	:	Ompora Budgam
	(i) Name of the authorized person (occupier or : operator of facility)	:	Mr. Ab. Rasid Bhat s/o Mohd Ramzan Bhat
	(ii) Name of HCF or CBMWTF	:	IBN-SINA HOSPITAL
	(iii) Address for Correspondence	:	OMPORA NEAR RAILWAY STN Budga
	(iv) Address of Facility	:	Ompora Near Railway Station Budgam
	(v) Tel. No, Fax. No	:	7006272634
	(vi) E-mail ID	:	Weibnsina@gmail.com
	(vii) URL of Website	:	WWW.IBN SINA Hospital.com
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) ✓
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: JKPCB/HO/BMW/2603600 JKPCB/HO/BMW/2356150 Valid upto: 06/05/23
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto: PCC/digital/22052042276 valid upto: 06/05/23
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 100
	(ii) Non-bedded hospital	:	
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	Bedded Hospital.
	(iii) License number and its date of expiry	:	0100200067 15/03/24
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	clean city waste management.
	(ii) No. of Beds covered by CBMWTF	:	100.
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	8 Kg / day Approximately -
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	8 Kg / day Aproximately -
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 7Ks - Red Category: 6Ks - White: 5Ks - Blue Category: 6Ks - General Solid Waste: 10Ks -
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility	:	
	(i) Details of the on-site storage	:	Size:

facility		Capacity:			
		Provision of on-site storage : (Cold storage or any other provision)			
(ii)	Disposal facilities	Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
		Incinerators	Nil		
		Plasma Pyrolysis	Nil		
		Autoclaves	04	714.	
		Microwave	Nil		
		Hydroclave	Nil		
		Shredder	Nil		
		Needle tip cutter or destroyer	18	0.6.	
		Sharps	03		
		Encapsulation or concrete pit	01		
		Deep burial pits	01	15ft	
		Chemical disinfection:	02		
		Any other treatment equipment:	Yes All Biomedical wastes handed over to Clean City		
(iii)	Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.) - Nil -		
(iv)	No. of Vehicles used for collection and transportation of biomedical waste	:	- 01 -		
(v)	Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity Generated	Where disposed	
		Incineration			
		Ash		17 kg / annum.	
(vii)	List of member HCF not handed over bio-medical waste.	ETP Sludge			
		clean city waste management -			
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes -		

Details trainings conducted on BMW		
(i)	Number of trainings conducted on BMW Management	06 trainings per year
(ii)	Number of personnel trained	08
(iii)	Number of personnel trained at the time of induction	04
(iv)	Number of personnel not undergone any training so far	02
(v)	Whether standard manual for training is available?	Yes
8	Details of the accident occurred during the year	Nil
(i)	Number of Accidents occurred	Nil
(ii)	Number of persons affected	Nil
(iii)	Remedial Action taken (Please attach details if any)	Nil
(iv)	Any Fatality occurred, details	
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Nil
	Details of Continuous online emission monitoring systems installed	
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	All the liquid waste generated in whole Hospital are disposed into two 500 separate tanks and sewage pits
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator) Nil

Certified that the above report is for the period from

2022 - 2023

Name and Signature of the Head of the Institution

Date:

30/06/23

Place:

Omfora

