



J&K Pollution Control Committee
Jammu/Kashmir (www.jkspcb.nic.in)

Consent Order

Consent No.:- PCC/digital/22052042276 of 2022

Date:- 07/05/2022

Consent To Operate (Fresh) Expansion under Section 25/26 of the Water(Prevention & Control Pollution)Act, 1974 and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981, as amended is granted in favour of

Sh. ABDUL RASHID BAHT
M/s IBN SINA HOSPITAL
OMPORA BUDGAM
Budgam, Budgam(registered with DIC vide registration
No:
DHSK/Reg/1316/2017 date: 20/12/2017)

for a period upto one year from the date of issue for ORANGE category of unit as per revised classification of industrial sector, subject to the following terms and conditions in a time bound manner :

1. The consent granted by the Committee is restricted to Prevention and Control of Pollution only and shall not be treated as substitute of permission required under other laws of the land.
2. The consent is granted valid for operation of unit for the Hospital (Health Care Facility) consented quantity as mentioned below with capital investment of Rs.105.00 lakhs(as per Schedule II):

S No.	Products/BY-Products Name	Maximum Quantity	Unit
1	Hospital (Health Care Facility)	61	Beds

Any change / enhancement in production capacity, process, raw materials etc shall have to be intimated to the Committee and the unit holder has to apply afresh for the same

3. **Compliance under Water Act :**

a) Trade Effluent: The unit holder has to install and maintain continuous operation of a comprehensive effluent treatment system consisting of Primary / Secondary / Tertiary treatment so as to achieve the quality of the treated effluent to the following standards of discharge outlet

Standards of Discharge for Trade Effluent:

Compulsory Parameters	Conc. in mg/l except for pH
pH	6.5-8.5
Suspended Solids	100
BOD(3 days at 27 degree celsius)	30
Oil & Grease	10

b) Sewage Effluent - The unit holder has to install and maintain continuous operation of a comprehensive treatment system as is warranted with reference to effluent quality and operate and maintain the same continuously so as to achieve the quality to treated effluent to the following standards before disposal :-

Standards of Discharge for Sewage disposal:



Parameters	Range	Conc. in mg/l except for pH
pH	between	6-9
Suspended Solids	Not to exceed	100
BOD(3 days at 27 degree celsius)	not to exceed	30

c) Water consumption & Disposal

- The daily quantity of water consumption shall not exceed KLD.
- The daily quantity of sewage effluent from the unit shall not exceed KLD
- Waste water generated from the unit shall be disposed through ETP

4. Compliance under Air Act :

- The unit holder shall comply to National Ambient Air Quality Standards as per EP Act 1986 (refer rule 3(3B)).
- The unit holder has to operate stack(s) of the following specifications :)

S. No	Stack attached to	Volume Nm3/hr	Height (in Meters)	Top diameter (in Meters)	Velocity of gas emission m/sec
1					

c. The unit holder has to install and maintain continuous operation of a comprehensive air pollution control system including the following pollution control devices to achieve the quality of emissions within the tolerance limits as prescribed under the environment protection act 1986:

S.No.	Pollution Control Equipments
1	Exhaust Fans, Fire Extinguishers, Effluent Treatment Plant, Sedimentation Tank, Color coding bins, good houses,

d. Fuel Consumption Details :-

S.No.	Type of fuel	Maximum Quantity	Unit
1			Metric Tonnes/Day

- The unit holder shall comply to the Solid Waste Management Rules 2016 dated 8-4-2016
- Under the Noise Pollution (Regulation and Control) Rules 2000, the unit holder shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70 dB(A) during night time. Daytime is reckoned in between 6 am to 10 pm and night time is 10 pm to 6 am
- The unit holder shall comply to the Plastic Waste Management Rules 2016 dated 18-3-2016
- Self Monitoring Schedule :
The unit holder shall have to get the samples of emission/Effluents analysed from the laboratory of J&K PCC or laboratories approved by J&K PCC after every One months to the check the efficacy of Pollution Control Devices (PCDs) installed in the unit
- The unit holder shall comply with the additional conditions as stipulated below:-
 - The Consent is valid for the Operate of unit only. The unit holder can only manufacture products, at the rate of production as mentioned in consent order. Any change in production caapcity, process, raw materials use etc, shall have to be intimated to the Boad. For an enhancement of the above, fresh consent has to be obtained fom J & K Pollution Control Committee.
 - The unit holder has to keep a record of the environmental data monitored regularly with regard to operation and maintenance of pollution control devices for Air Pollution and Water Pollution Control to achieve the desired standards notified in EP Act
 - Pollution Control Devices (ETP/EGD) as contemplated to achieve the quality of effluent emission within the tolerance limits prescribed, shall have to be operational during the course of production. The effluent/emission shall not contain constituents in excess of the tolerance limits as laid down by J & K Pollution Control Committee.



- iv. The unit holder shall be liable to pay compensation in case any damage is caused to the environment.
- v. The unit holder shall abide by the directions of the Committee which will be issued from time to time. Any infringement/ violation or transgression of the statutory enactments of pollution control acts by the unit, shall be sufficient cause to prosecute the violator in conformity with relevant section of Air/Water Acts and Environment Protection Act in force.
- vi. The unit shall be under surveillance monitoring of J & K Pollution Control Committee
- vii. The unit holder shall provide adequate arrangement for fighting the accidental leakages/discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.
- viii. The unit holder shall adhere to general standards terms and conditions of Water / Air Acts and compliance of environment standards as per environment protection act 1986
- ix. The unit holder should apply 60 days in advance for renewal of consent before expiry the date of this Consent Order

Specific Conditions:-

1. The Hospital Authority has to operate all requisite pollution control devices in the Hospital as envisaged under Bio-Medical Waste Management & Handling Rules.
2. The Hospital authority shall adhere to general terms and conditions of Water / Air Act and ensure compliance of environment standards as per EP Act 1986 and as amendments made thereof.
3. The Hospital Authority shall handover the waste generated to CBMWTF for disposal
4. The Hospital Authority shall install Colour coding bins with proper labelling in the hospital. Segregation of waste must be done at sources.
5. The Hospital Authority shall filed Form-V [Sec rules 13] before 30th June every year for the period from January to December of the preceding year and the same be submitted to the concerned Divisional Officer, Pollution Control Committee before 30th June failing which consent shall revoked/cancelled.
6. The unit holder shall install State of Art Effluent Treatment Plant (ETP) for treatment of Effluent before seeking of Consent to Operate (Fresh).

- x. In case of violation of above mentioned conditions or any public complaint the consent shall be withdraw.

* This consent is issued purely from environmental angle and the Committee shall not be responsible for any claim, counter claim, ownership, partnership etc of the unit.

(J N Sharma)
Environmental Engineer



Member Secretary 09/05/22

Copy to the :

1. Regional Director PCC Kashmir for information and ensure the implementation of conditions as above.
2. General Manager DIC Budgam for information.
3. D.O PCC Budgam for the direction to monitor the conditions of the consent stated above.
4. P.A. to Chairman, J&K PCC for information of the Chairman
5. M/s IBN SINA HOSPITAL , OMPORA BUDGAM for compliance of above said conditions.
6. Office file

The unit holder shall comply to environment standards as notified under the environment protection Act 1986, read with the Water (Prevention & Control of Pollution) Act 1974 & Air (Prevention & Control of Pollution) Act, 1981 which can also be downloaded from the website www.jkspcb.nic.in or www.cpcb.nic.in



J&K POLLUTION CONTROL BOARD
Jammu/Kashmir (www.jkspcb.nic.in)

Consent Order

Consent No.:- PCB/digital/21061621190 of 2021

Date:- 11/01/2021

Consent To Operate (Renew) under Section 25/26 of the Water(Prevention & Control Pollution)Act, 1974 and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981, as amended is granted in favour of

Sh. ABDUL RASHID BAHT
M/s IBN SINA HOSPITAL
OMPORA BUDGAM
Budgam, Budgam(registered with DIC vide registration
No:
DHSK/Reg/1316/2017 date: 20/12/2017)

for a period upto December 2024 for ORANGE category of unit as per revised classification of industrial sector, subject to the following terms and conditions in a time bound manner :

1. The consent granted by the Board is restricted to Prevention and Control of Pollution only and shall not be treated as substitute of permission required under other laws of the land.
2. The consent is granted valid for operation of unit for the manufacturing of the products / by-products consented quantity as mentioned below with capital investment of Rs.395.00 lakhs(as per Schedule II):

S No.	Products/BY-Products Name	Maximum Quantity	Unit
1	Health care Establishment (Hospital Cum Laboratory Facility)	39	Beds

Any change / enhancement in production capacity, process, raw materials etc shall have to be intimated to the Board and the unit holder has to apply afresh for the same

3. **Compliance under Water Act :**

a) Trade Effluent: The unit holder has to install and maintain continuous operation of a comprehensive effluent treatment system consisting of Primary / Secondary / Tertiary treatment so as to achieve the quality of the treated effluent to the following standards of discharge outlet

Standards of Discharge for Trade Effluent:

Compulsory Parameters	Conc. in mg/l except for pH
pH	6.5-8.5
Suspended Solids	100
BOD(3 days at 27 degree celsius)	30
Oil & Grease	10

b) Sewage Effluent - The unit holder has to install and maintain continuous operation of a comprehensive treatment system as is warranted with reference to effluent quality and operate and maintain the same continuously so as to achieve the quality to treated effluent to the following standards before disposal :-

Standards of discharge for Sewage disposal:



Parameters	Range	Conc. in mg/l except for pH
pH	between	6-9
Suspended Solids	Not to exceed	100
BOD(3 days at 27 degree celsius)	not to exceed	30

c) Water consumption & Disposal

- i. The daily quantity of water consumption shall not exceed - KLD.
- ii. The daily quantity of sewage effluent from the unit shall not exceed - KLD
- iii. Waste water generated from the unit shall be disposed through -

4. **Compliance under Air Act :**

a. The unit holder shall comply to National Ambient Air Quality Standards as per EP Act 1986 (refer rule 3(3B)).

b. The unit holder has to operate stack(s) of the following specifications :)

S. No	Stack attached to	Volume Nm ³ /hr	Height (in Meters)	Top diameter (in Meters)	Velocity of gas emission m/sec
.					

c. The unit holder has to install and maintain continuous operation of a comprehensive air pollution control system including the following pollution control devices to achieve the quality of emissions within the tolerance limits as prescribed under the environment protection act 1986:

S.No.	Pollution Control Equipments

d. **Fuel Consumption Details :-**

S.No.	Type of fuel	Maximum Quantity	Unit

5. The unit holder shall comply to the Solid Waste Management Rules 2016 dated 8-4-2016
6. Under the Noise Pollution (Regulation and Control) Rules 2000, the unit holder shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70 dB(A) during night time. Daytime is reckoned in between 6 am to 10 pm and night time is 10 pm to 6 am
7. The unit holder shall comply to the Plastic Waste Management Rules 2016 dated 18-3-2016
8. **Self Monitoring Schedule :**
The unit holder shall have to get the samples of emission/Effluents analysed from the laboratory of J&K PCB or laboratories approved by J&K PCB after every six months to check the efficacy of Pollution Control Devices (PCDs) installed in the unit
9. The unit holder shall comply with the additional conditions as stipulated below:-
 - i. The Consent is valid for the Operate of unit only. The unit holder can only manufacture products, at the rate of production as mentioned in consent order. Any change in production capacity, process, raw materials use etc, shall have to be intimated to the Board. For any enhancement of the above, fresh consent has to be obtained from J & K Pollution Control Board.
 - ii. The unit holder has to keep a record of the environmental data monitored regularly with regard to operation and maintenance of pollution control devices viz Air Pollution and Water Pollution Control to achieve the desired standards notified in EP Act.
 - iii. Pollution Control Devices (ETP/ECD) as contemplated to achieve the quality of effluent emission within the tolerance limits prescribed, shall have to be operational during the course of production. The effluent/emission shall not contain constituents in excess of the tolerance limits as laid down by J & K Pollution Control Board.
 - iv. The unit holder shall be liable to pay compensation in case any damage is caused to the environment.
 - v. The unit holder shall abide by the directions of the Board which will be issued from time to time. Any infringement/ violation or transgression of the statutory enactments of pollution control acts by the unit, shall be sufficient cause to prosecute the violator in conformity with relevant section of Air/Water Pollution Control Environment Protection Act in force.
 - vi. The unit shall be under surveillance monitoring of J & K Pollution Control Board

The industry can apply for Renewal/Expansion of Consent on the Site www.jkocmns.nic.in directly



- vii. The unit holder shall provide adequate arrangement for fighting the accidental leakages/discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.
- viii. The unit holder shall adhere to general standards terms and conditions of Water / Air Acts and compliance of environment standards as per environment protection act 1986
- ix. The unit holder should apply 60 days in advance for renewal of consent before expiry the date of this Consent Order

Specific Conditions:-

1. The Hospital Authority has to operate all requisite pollution control devices in the Hospital as envisaged under Bio-Medical Waste Management & Handling Rules.
2. The Hospital authority shall adhere to general terms and conditions of Water / Air Act and ensure compliance of environment standards as per EP Act 1986 and as amendments made thereof.
3. The Hospital Authority shall handover the waste generated to CBWTF for disposal.
4. The Hospital Authority shall install Colour coding bins with proper labelling in the hospital. Segregation of waste must be done at sources.
5. The Hospital Authority shall file Form-V [Sec rules 13] before 30th June every year for the period from January to December of the preceding year and the same be submitted to the concerned Divisional Officer, Pollution Control Board before 30th June failing which consent shall revoked/cancelled.
6. The unit holder shall install State of Art Effluent Treatment Plant (ETP) for treatment of Effluent before seeking of Consent to Operate (Renewal).

- x. In case of violation of above mentioned conditions or any public complaint the consent shall be withdraw.

* This consent is issued purely from environmental angle and the Board shall not be responsible for any claim, counter claim, ownership, partnership etc of the unit.

'By Order'

[Signature]
11/01/2021
Scientist C

[Signature]
Member Secretary

Copy to the :

1. Regional Director PCB Kashmir for information and ensure the implementation of conditions as above.
2. General Manager DIC Budgam for information.
3. D.O PCB Budgam for the direction to monitor the conditions of the consent stated above.
4. P.A. to Chairman, J&K PCB for information of the Chairman
5. M/s IBN SINA HOSPITAL , OMPORA BUDGAM for compliance of above said conditions.
6. Office file



The unit holder shall comply to environment standards as notified under the environment protection Act 1986, read with the Environment Protection & Control of Pollution) Act 1974 & Air (Prevention & Control of Pollution) Act, 1981 which can also be downloaded from the website www.jkspcb.nic.in or at www.cpcb.nic.in

J&K POLLUTION CONTROL COMMITTEE

Jammu/Kashmir (www.jkspcb.nic.in)

AUTHORIZATION

Authorization No. JKPCB/HO/BMW/2603600

Date:- 07/05/2022

Form -III

(See rule 10)

AUTHORIZATION (FRESH) FOR OPERATING A FACILITY FOR GENERATION, COLLECTION, RECEPTION, TREATMENT, STORAGE AND DISPOSAL OF BIO - MEDICAL WASTE

To,

Sh. Abdul Rashid Baht,
M/s IBN SINA Hospital,
Ompora, Budgam, Kashmir (J&K).

The JKPCB has scrutinized the information furnished by you and the proposal for management & handling of Bio-Medical Waste generated at your location mentioned below. After a careful consideration, it has been decided to grant authorization (Fresh) under Bio-Medical Waste Management Rules, 2016 (herein after to be called as BMW Rules) for a period and premises mentioned in this authorization

1. File No. of authorization and date of issue JKPCB/HO/BMW/2603600 Date:- 07/05/2022.
2. M/s IBN SINA Hospital, occupier or operator of the facility located at Ompora, Budgam, Kashmir is hereby granted an authorization for:

Activity

Generation, Segregation
Collection
Storage
Packaging
Pre-Treatment
Disposal

3. M/s IBN SINA Hospital is hereby authorized for handling of biomedical waste as per the capacity given below;
 - (i) Number of beds of HCF: **61 beds**
 - (v) Mode of disposal of Bio-medical Waste: **CBMWTF, Kashmir**
 - (v) Quantity of Bio-medical Waste handled, treated or disposed per month: **3060 kg/Annum**
 - (vi) Validity of Authorization fees is up to **one year from the date of issue.**

Type of Waste Category

Quantity permitted for Handling / month


Yellow	50 kg
Red	75 kg
White (Translucent)	80 kg
Blue	50 kg

4. This authorization (fresh) shall be in force up to **one year from the date of issue** from the date of issue and shall be renewed subject to fulfillment of conditions specified in the authorization.
5. This authorization is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.




B


Handwritten signature and initials.

- 
4. At the storage site "**Bio-Medical Waste Storage Site**" & "**Danger**" signboards shall be prominently displayed.
 5. The applicant shall take all steps to ensure that such BMW is handled without any adverse effect to human health and the environment.
 6. The containers for storing segregated wastes shall be clearly identifiable. Colour coding of waste categories with multiple treatment options as defined in Schedule I (Part-1) shall be selected depending on treatment option chosen.
 7. No untreated BMW shall be kept stored beyond a period of 48 hours provided that if for any reason it becomes necessary to store the waste beyond such period, the authorised person must take permission of the prescribed authority and take measures to ensure that the waste does not adversely affect human health and the environment and in this regard shall designate a cold storage space.
9. **Transportation of Bio-Medical Waste:**
1. If a container is transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the label prescribed in Schedule IV (Part - A) of the rules, also carry information prescribed in Schedule IV of the rules.
 2. Untreated BMW shall be transported only in such vehicles as may be authorised for the purpose by the competent authority. The transport vehicles shall be prominently labeled as per symbols shown in Schedule IV (Part - B) of the rules.
10. **General Conditions:**
1. Provide training to all its health care workers and others, involved in handling of BMW at the time of induction and there after at least once in every year and the details of training programmes conducted, number of personnel trained and number of personnel not undergone any training, shall be provided in the Annual Report.
 2. Immunize all the health care workers and others, involved in handling of BMW for protection against diseases including hepatitis B and tetanus in the manner as prescribed in the National Immunisation Policy or the guidelines of the Ministry of Health and Family Welfare, issued from time to time.
 3. Ensure occupational safety of all health care workers and others involved in handling of BMW by providing appropriate and adequate Personnel Protective Equipments (PPE).
 4. Conduct health check up at the time of induction and at least once in a year for all its health care workers and others involved in handling of BMW and maintain the record for the same.
 5. Maintain an update on day to day basis, the BMW register and display the monthly record on its website according to the BMW generated in terms of category and color coding, as specified in Schedule I.
 6. Establish a system to review and monitor the activities related to BMW, either through an existing committee or by forming a new committee and the committee shall meet once in every six months and the record of the minutes of the meeting of this committee shall be submitted along with the annual report to the prescribed authority and the health care facilities having less than thirty beds shall designate a qualified person to review and monitor activities relating to BMW within that facility and submit the annual report.
 7. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorised person shall report the accident in Form I of the rules to the JKPCC forthwith.
 8. Every applicant shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these rules and any guidelines issued.
 9. All records shall be subject to inspection and verification by the JKPCC at any time.
11. Every applicant shall submit an annual report in Form – IV on or before 30th June every year for the period from January to December, which shall include information about the categories & quantities, of BMW handled during the preceding year.
12. The applicant shall be further required to obtain the following from the JKPCC: (which ever is applicable)
1. Consent under the Water (Prevention and Control of Pollution) Act, 1974.
 2. Consent under the Air (Prevention and Control of Pollution).
 3. The Hazardous & Other Waste (Management & Trans boundary Movement) Rules, 2016.
 4. The Solid Waste Management Rules, 2016.
 5. The Plastic Waste Management Rules, 2016.
 6. To return used batteries to authorized dealers, as per the Batteries (Management & Handling) Rules, 2001 and amendments thereof.
 7. The authorization granted shall lapse at any time, if the facility does not demonstrate the parameters, as required under rules or any condition of this authorization order is not complied with.
- AK* *B*

4. At the storage site "Bio-Medical Waste Storage Site" & "Danger" signboards shall be prominently displayed.
5. The applicant shall take all steps to ensure that such BMW is handled without any adverse effect to human health and the environment.
6. The containers for storing segregated wastes shall be clearly identifiable. Colour coding of waste categories with multiple treatment options as defined in Schedule I (Part-1), shall be selected depending on treatment option chosen.
7. No untreated BMW shall be kept stored beyond a period of 48 hours provided that if for any reason it becomes necessary to store the waste beyond such period, the authorised person must take permission of the prescribed authority and take measures to ensure that the waste does not adversely affect human health and the environment and in this regard shall designate a cold storage space.
9. **Transportation of Bio-Medical Waste:**
 1. If a container is transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the label prescribed in Schedule IV (Part - A) of the rules, also carry information prescribed in Schedule IV of the rules.
 2. Untreated BMW shall be transported only in such vehicles as may be authorised for the purpose by the competent authority. The transport vehicles shall be prominently labeled as per symbols shown in Schedule IV (Part - B) of the rules.
10. **General Conditions:**
 1. Provide training to all its health care workers and others, involved in handling of BMW at the time of induction and there after at least once in every year and the details of training programmes conducted, number of personnel trained and number of personnel not undergone any training, shall be provided in the Annual Report.
 2. Immunize all the health care workers and others, involved in handling of BMW for protection against diseases including hepatitis B and tetanus in the manner as prescribed in the National Immunisation Policy or the guidelines of the Ministry of Health and Family Welfare, issued from time to time.
 3. Ensure occupational safety of all health care workers and others involved in handling of BMW by providing appropriate and adequate Personnel Protective Equipments (PPE).
 4. Conduct health check up at the time of induction and at least once in a year for all its health care workers and others involved in handling of BMW and maintain the record for the same.
 5. Maintain an update on day to day basis, the BMW register and display the monthly record on its website according to the BMW generated in terms of category and color coding, as specified in Schedule I.
 6. Establish a system to review and monitor the activities related to BMW, either through an existing committee or by forming a new committee and the committee shall meet once in every six months and the record of the minutes of the meeting of this committee shall be submitted along with the annual report to the prescribed authority and the health care facilities having less than thirty beds shall designate a qualified person to review and monitor activities relating to BMW within that facility and submit the annual report.
 7. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorised person shall report the accident in Form I of the rules to the JKPCCC forthwith.
 8. Every applicant shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these rules and any guidelines issued.
 9. All records shall be subject to inspection and verification by the JKPCCC at any time.
11. Every applicant shall submit an annual report in Form – IV on or before 30th June every year for the period from January to December, which shall include information about the categories & quantities, of BMW handled during the preceding year.
12. The applicant shall be further required to obtain the following from the JKPCCC: (which ever is applicable)
 1. Consent under the Water (Prevention and Control of Pollution) Act, 1974.
 2. Consent under the Air (Prevention and Control of Pollution).
 3. The Hazardous & Other Waste (Management & Trans boundary Movement) Rules, 2016.
 4. The Solid Waste Management Rules, 2016.
 5. The Plastic Waste Management Rules, 2016.
 6. To return used batteries to authorized dealers, as per the Batteries (Management & Handling) Rules, 2001 and amendments thereof.
 7. The authorization granted shall lapse at any time, if the facility does not demonstrate the parameters, as required under rules or any condition of this authorization order is not complied with.



B



- 8) To make a provision within the premises for a safe, ventilated and secured location for storage of segregated bio-medical waste in colored bags or containers in the manner as specified in Schedule I
- 9) To establish a Bar-Code System for bags or containers containing bio-medical waste to be sent out of the premises or place for any purpose immediately.
- 10) To phase out use of chlorinated plastic bags (excluding blood bags) and gloves immediately.
- 11) Not to dispose off treated bio- medical waste with municipal Solid Waste.
- 12) To make available annual report on its web-site immediately.
- 13) The Proprietor should apply 60 days in advance for renewal of authorization before the expiry of same.

SPECIFIC CONDITIONS:-

1. The Hospital Management has to operate all requisite pollution control devices in the Hospital as envisaged under Bio-Medical Waste Management & Handling Rules.
2. The Hospital Management shall adhere to general terms and conditions of Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 and ensure compliance of environment standards as per EP Act 1986 and as amendments made thereof.
3. The Hospital Management shall handover the waste generated to CBMWTF.
4. The Hospital Management shall install Colour coding bins with proper labelling in the hospital. Segregation of waste must be done at sources.
5. The Hospital Authority shall file Form-V [Sec rules 13](Annual Report) before 30th June every year for the period from January to December of the preceding year and the same be submitted to the concerned Divisional Officer, Pollution Control Committee before 30th June failing which consent shall revoked/cancelled.
6. To Maintain and update on day to day basis the bio-medical waste management registrar and display monthly record as well as Annual Report on the website according to the BMW generated in terms of category and Colour Coding and strict monitoring by concerned D.O.,PCC

"This Authorization is issued purely from environmental angle and the JKPCC shall not be responsible for any claim, ownership, proprietorship etc. of the facility".

Penalty Provisions:

If the applicant fails to comply with the terms and conditions and other directives issued by this PCC as laid down in this order, the applicant is liable for prosecution under Section 15 of the Environment (Protection) Act 1986 and other penal provisions of the Act and shall on conviction be liable for punishment and imprisonment as provided in the said Act.

'By Order'

(J.N.Sharma)

Environmental Engineer

Member Secretary

Copy to the :

1. Regional Director PCC Kashmir for information and ensure the implementation of conditions as above.
2. Director Health, J&K, Kashmir for information.
3. D.O PCC Budgam for the direction to monitor the conditions of the Authorization stated above.
4. P.A. to Chairperson, J&K PCC for information of the Chairperson
5. Sh. Abdul Rashid Baht, M/s IBN SINA Hospital, Ompora, Budgam, Kashmir (J&K) for compliance of above said conditions.
6. Office file