


IBN SINA HOSPITAL OMPORA BUDGAM



 GPS Map Camera



2PPP+G5G, near RAILWAY STATION, 191111
Lat 34.036079°
Long 74.735586°
12/09/23 02:16 PM GMT +05:30

IBN SINA HOSPITAL RECEPTION AREA



2PPP+G5G, near RAILWAY STATION, 19111
Lat 34.036081°
Long 74.73579°
12/09/23 02:20 PM GMT +05:30

IBN SINA HOSPITAL *LIFTING AREA*



Lifting Site
of BMW
M/s IBN SINA HOSPITAL



GPS Map Camera



2PPP+G5G, near RAILWAY STATION, 191111
Lat 34.035072°
Long 74.735408°
12/09/23 02:18 PM GMT +05:30

IBN SINA HOSPITAL PROVISIONAL CERTIFICATE

Provisional registration No:0100200067



GOVERNMENT OF JAMMU & KASHMIR

District Registering Authority
BADGAM

CERTIFICATE OF PROVISIONAL REGISTRATION

This is to certify that IBN SINA HOSPITAL (100 Bedded) located at OMPORA owned by AB RASHID BHAT has been granted provisional registration as a clinical establishment under Section 15 of The Clinical Establishments (Registration and Regulation) Act, 2010. The Clinical Establishment is registered for providing medical services as a Hospital, Polyclinic, Physiotherapy, Dental Clinic, Dispensary, Dialysis, Day Care Centre, Pathology, Haematology, Biochemistry, Microbiology, Collection Centre, Xray Centre, ECG Centre under Allopathy System of Medicine.

This Certificate is valid for a period of one year from the date of issue.

Place: Badgam

Date of Issue: 16/03/2023

Abdul Karim
DRA: Badgam
Designation of the Issuing Authority
JAMMU MEDICAL OFFICERS
BADGAM

Terms & Conditions of Registration*

1. The holder of this Certificate of Registration shall comply with all the provisions of Clinical Establishment Act (Registration and Regulation) 2010 and the Rules made there under.
2. The Certificate of Registration is not transferable. The Certificate of Registration shall be displayed in a prominent place in a part of the premises open to the public.
3. Any change of ownership or change of category or change of management or on ceasing to function as a clinical establishment, the certificate of registration shall be surrendered to the authority and application for fresh registration submitted.

<http://clinicalestablishments.gov.in/AuthenticatedPages/DRA/Provisional.aspx?StatelId=7G2d8TVMazg%3d&DistrictId=mdOrOjyXn9Q%3d>; Date:16/03/2023

GPS Map Cam



2PPP+G5G, near RAILWAY STATION, 19111

Lat 34.035881°

Long 74.735394°

12/09/23 02:52 PM GMT +05:30

IBN SINA HOSPITAL

WASTE MANAGEMENT COMMITTEE

Ref No. Ibn/Sin/2105


Date: 09/09/2022

ORDER

In order to regulate the storage disposal and other allied operations of Bio medical waste and other related items of our hospital. A committee of following officers and officials is framed.

Name of Members	Designation	Role in Committee
Dr M. Ibrahim	Medical Superintendent	Chairman
Mr Mohd Ashraf Malik	Administrator	General Secretary
Mr Reyaz Ahmed	In-Charge Hospital Management	Vice chairman
Advocate Khurshid Ahmed	Advocate	Secretary
Dr Irshada Bano	RMO	Member

Director Ibn Sina Hospital will be holding meeting with designated committee at intervals to gauge the performance of committee in order to ensure that all rules and regulations related to subject matter are adhered to in letter and spirit.


Director,
Ibn Sina Hospital.

Copy to:

- 1 to 5 above for information and compliance.
- All Sectional Heads for information & compliance.
- District Pollution Officer for information with the request that guidance sought from time to time may kindly be imparted as and when requested for.



GPS Map Camera

''

OMPORA, 2PPP+G5G, near RAILWAY STATION, 191111

Lat 34.036082°

Long 74.735588°

12/09/23 03:59 PM GMT +05:30

IBN SINA HOSPITAL ETP LOGBOOK

IBN SINA HOSPITAL
 Website: ibnsinahospital.in
 Email: ibnsinain@gmail.com
 Contact No's: 9419023501, 7006272564, 9622552553, 9622813500

IBN SINA HOSPITAL
 A Multi Super Speciality Hospital
 OMPORA BUDGAM NEAR MAIN GATE RAILWAY STATION BUDGAM-191111 (J&K) ASOP

For the Month of SEP 2023

DATE	WATER INLET FLOW (LPH)	PLANT OPERATING TIME		PH		SLUDGE QTY (IN KG)	CHEMICAL CONSUMPTION IN KG			QTY. OF TREATED WATER	ELECTRICITY METER READING		OPERATOR SIGNATURE	REMARKS
		START	CLOSE	INLET	OUT LET		LIME	ALUM	POLY		START	CLOSE		
01/9/2023	500ltr	11:AM	3PM	5:2	6:0	3kg	2kg	0.5	1kg	1000ltr				IDS-118
02/9	500ltr	11:AM	3PM	5:2	6:2	3kg	2kg	0.5	1kg	1000ltr				IDS-119
03/9	500ltr	11:AM	3PM	5:2	7:0	3kg	2kg	0.5	1kg	1000ltr				IDS-120
04/9	500ltr	11AM	3PM	5:2	7:0	3kg	2kg	0.5	1kg	1000ltr				IDS-120
05/9	500ltr	11AM	3PM	5:0	6:2	3kg	2kg	0.5	1kg	1000ltr				IDS-119
06/9	500ltr	11AM	3PM	5:0	6:2	3kg	2kg	0.5	1kg	1000ltr				IDS-118
07/9	500ltr	11AM	3PM	5:0	6:0	3kg	2kg	0.5	1kg	1000ltr				IDS-118
08/9	500ltr	11AM	3PM	5:2	7:0	3kg	2kg	0.5	1kg	1000ltr				IDS-119


IBN SINA HOSPITAL
 Website: ibnsinahospital.in
 Email: ibnsinain@gmail.com
 Contact No's: 9419023501, 7006272564, 9622552553, 9622813500

IBN SINA HOSPITAL
 A Multi Super Speciality Hospital
 OMPORA BUDGAM NEAR MAIN GATE RAILWAY STATION BUDGAM-191111 (J&K)

For the Month of SEP 2023

DATE	WATER INLET FLOW (LPH)	PLANT OPERATING TIME		PH		SLUDGE QTY (IN KG)	CHEMICAL CONSUMPTION IN KG			QTY. OF TREATED WATER	ELECTRICITY METER READING		OPERATOR SIGNATURE	REMARKS
		START	CLOSE	INLET	OUT LET		LIME	ALUM	POLY		START	CLOSE		
09/9	500ltr	11:AM	3PM	5:2	6:0	3kg	2kg	0.5	1kg	1000ltr				IDS-118
10/9	500ltr	11:AM	3PM	5:2	6:2	3kg	2kg	0.5	1kg	1000ltr				IDS-119
11/9	500ltr	11:AM	3PM	5:0	7:0	3kg	2kg	0.5	1kg	1000ltr				IDS-120
12/9	500ltr	11:AM	3PM	5:0	6:2	3kg	2kg	0.5	1kg	1000ltr				IDS-119

Ompura Kharanja Road 131 E/5, J K, 191111
 Lat 34.03629°
 Long 74.73489°
 12/09/23 03:40 PM GMT +05:30



IBN SINA HOSPITAL BMW LOGBOOK

IBN SINA HOSPITAL

Date of Generation	Quantity of BMW Generator (Kg) Colour Coding and Category				Total	Date of Collection	Time (am/pm)	Name And Signature Of Person Collected Biomedical Waste	Name and Signature of HCF staff
	Yellow	Red	White	Blue					
02-09-23	5	5	4 1/2	5 1/2	19 1/2 kg	03-09-23	8: AM	Zahoor.	[Signature]
04-09-23	5 1/2	5	5 1/2	4	20 kg	05-09-23	8:15 AM	Zahoor.	[Signature]
06-09-23	4 1/2	5 1/2	6	4 1/2	20 1/2 kg	07-09-23	8:00 AM	Zahoor.	[Signature]
08-09-23	5	6	4 1/2	5 1/2	21 kg	09-09-23	8:10 AM	Zahoor.	[Signature]
10-09-23	6	5	5 1/2	4	19 1/2 kg	11-09-23	8:20 AM	Zahoor.	[Signature]

GPS Ma

IBN SINA HOSPITAL
 2PPP+G5G, near RAILWAY STATION, 191111
 Lat 34.036402°
 Long 74.735202°
 12/09/23 03:15 PM GMT +05:30

REMARKS

03-09-23 DS-118



IBN SINA HOSPITAL WATER POINT

Analysis Report

S.no	Parameter	ETP OF M/S IBN SINA HOSPITAL, OMPORA BUDGAM		
		District: Budgam		
Date of Sampling		RAW(Influent)	FINAL (Effluent)	Permissible limits
		17-06-2023		
1	Air Temperature	30.5		
2	Water Temperature	28.0	29.5	-
3	pH	7.31	7.52	5.5 to 9.0
4	Dissolved Oxygen	-	6.50	
5	Chemical Oxygen Demand	377.2	166.70	250.0
6	Biochemical Oxygen Demand	136.5	24.0	30.0
7	Phosphate(PO4-P)	3.642	1.373	5.0
8	Ammonical Nitrogen (NH3-N)	15.84	9.9	-
9	Chloride	368.0	48.0	-
10	Total Suspended Solids	-	32.0	100.0
11	Total Dissolved Solids	2000.0	370.00	-

Test analysis report reveals that all analyzed parameters are within prescribed permissible Norms.


sample Collected by

BET

Analysed by

[Signature]

[Signature]
I/C Water Lab



OMPORA, 2PPP+G5G, near RAILWAY STATION, 19111

Lat 34.036212°

Long 74.735275°

12/09/23 02:54 PM GMT +05:30

J&K POLLUTION CONTROL COMMITTEE
Jammu/Kashmir (www.jkspcb.nic.in)

AUTHORIZATION

Authorization No. JKPCB/HO/BMW/2603600

Date:- 07/05/2022

Form -III

(See rule 10)

AUTHORIZATION (FRESH) FOR OPERATING A FACILITY FOR GENERATION, COLLECTION, RECEPTION, TREATMENT, STORAGE AND DISPOSAL OF BIO - MEDICAL WASTE

To,

Sh. Abdul Rashid Baht,
M/s IBN SINA Hospital,
Ompora, Budgam, Kashmir (J&K).

The JKPCB has scrutinized the information furnished by you and the proposal for management & handling of Bio-Medical Waste generated at your location mentioned below. After a careful consideration, it has been decided to grant authorization (Fresh) under Bio-Medical Waste Management Rules, 2016 (herein after to be called as BMWM Rules) for a period and premises mentioned in this authorization

1. File No. of authorization and date of issue JKPCB/HO/BMW/2603600 Date:- 07/05/2022.
2. M/s IBN SINA Hospital, occupier or operator of the facility located at Ompora, Budgam, Kashmir is hereby granted an authorization for:

Activity

Generation, Segregation
Collection
Storage
Packaging
Pre-Treatment
Disposal

3. M/s IBN SINA Hospital is hereby authorized for handling of biomedical waste as per the capacity given below;

(i) Number of beds of HCF: 61 beds

(v) Mode of disposal of Bio-medical Waste: CBMWTF, Kashmir

(v) Quantity of Bio-medical Waste handled, treated or disposed per month: 3060 kg/Annum


(vi) Validity of Authorization fees is up to one year from the date of issue.

Type of Waste Category

Quantity permitted for Handling / month


Yellow	50 kg
Red	75 kg
White (Translucent)	80 kg
Blue	50 kg

4. This authorization (fresh) shall be in force up to one year from the date of issue from the date of issue and shall be renewed subject to fulfillment of conditions specified in the authorization.
5. This authorization is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.



Handwritten signature/initials

Handwritten mark





4. At the storage site "**Bio-Medical Waste Storage Site**" warning signboards shall be prominently displayed.
5. The applicant shall take all steps to ensure that such BMW shall be stored without any adverse effect to human health and the environment.
6. The containers for storing segregated wastes shall be clearly identifiable. Colour coding of waste categories with multiple treatment options as defined in Schedule I (Part - 1) shall be selected depending on treatment option chosen.
7. No untreated BMW shall be kept stored beyond a period of 48 hours, provided that if for any reason it becomes necessary to store the waste beyond such period, the authorised person must take permission of the prescribed authority and take measures to ensure that the waste does not adversely affect human health and the environment and in this regard shall designate a cold storage space.
9. **Transportation of Bio-Medical Waste:**
 1. If a container is transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the label prescribed in Schedule IV (Part - A) of the rules, also carry information prescribed in Schedule IV of the rules.
 2. Untreated BMW shall be transported only in such vehicles as may be authorised for the purpose by the competent authority. The transport vehicles shall be prominently labeled as per symbols shown in Schedule IV (Part - B) of the rules.
10. **General Conditions:**
 1. Provide training to all its health care workers and others, involved in handling of BMW at the time of induction and there after at least once in every year and the details of training programmes conducted, number of personnel trained and number of personnel not undergone any training, shall be provided in the Annual Report.
 2. Immunize all the health care workers and others, involved in handling of BMW for protection against diseases including hepatitis B and tetanus in the manner as prescribed in the National Immunisation Policy or the guidelines of the Ministry of Health and Family Welfare, issued from time to time.
 3. Ensure occupational safety of all health care workers and others involved in handling of BMW by providing appropriate and adequate Personnel Protective Equipments (PPE).
 4. Conduct health check up at the time of induction and at least once in a year for all its health care workers and others involved in handling of BMW and maintain the record for the same.
 5. Maintain an update on day to day basis, the BMW register and display the monthly record on its website according to the BMW generated in terms of category and color coding, as specified in Schedule I.
 6. Establish a system to review and monitor the activities related to BMW, either through an existing committee or by forming a new committee and the committee shall meet once in every six months and the record of the minutes of the meeting of this committee shall be submitted along with the annual report to the prescribed authority and the health care facilities having less than thirty beds shall designate a qualified person to review and monitor activities relating to BMW within that facility and submit the annual report.
 7. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorised person shall report the accident in Form I of the rules to the JKPCC forthwith.
 8. Every applicant shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these rules and any guidelines issued.
 9. All records shall be subject to inspection and verification by the JKPCC at any time.
11. Every applicant shall submit an annual report in Form - IV on or before 30th June every year for the period from January to December, which shall include information about the categories & quantities, of BMW handled during the preceding year.
12. The applicant shall be further required to obtain the following from the JKPCC: (which ever is applicable)
 1. Consent under the Water (Prevention and Control of Pollution) Act, 1974.
 2. Consent under the Air (Prevention and Control of Pollution).
 3. The Hazardous & Other Waste (Management & Trans boundary Movement) Rules, 2016.
 4. The Solid Waste Management Rules, 2016.
 5. The Plastic Waste Management Rules, 2016.
 6. To return used batteries to authorized dealers, as per the Batteries (Management & Handling) Rules, 2001 and amendments thereof.
 7. The authorization granted shall lapse at any time, if the facility does not demonstrate the parameters, as required under rules or any condition of this authorization order is not complied with.

AK B

4. At the storage site "Bio-Medical Waste Storage Site" & "Danger" signboards shall be prominently displayed.
5. The applicant shall take all steps to ensure that such BMW is handled without any adverse effect to human health and the environment.
6. The containers for storing segregated wastes shall be clearly identifiable. Colour coding of waste categories with multiple treatment options as defined in Schedule I (Part-1), shall be selected depending on treatment option chosen.
7. No untreated BMW shall be kept stored beyond a period of 48 hours provided that if for any reason it becomes necessary to store the waste beyond such period, the authorised person must take permission of the prescribed authority and take measures to ensure that the waste does not adversely affect human health and the environment and in this regard shall designate a cold storage space.
9. **Transportation of Bio-Medical Waste:**
 1. If a container is transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the label prescribed in Schedule IV (Part - A) of the rules, also carry information prescribed in Schedule IV of the rules.
 2. Untreated BMW shall be transported only in such vehicles as may be authorised for the purpose by the competent authority. The transport vehicles shall be prominently labeled as per symbols shown in Schedule IV (Part - B) of the rules.
10. **General Conditions:**
 1. Provide training to all its health care workers and others, involved in handling of BMW at the time of induction and there after at least once in every year and the details of training programmes conducted, number of personnel trained and number of personnel not undergone any training, shall be provided in the Annual Report.
 2. Immunize all the health care workers and others, involved in handling of BMW for protection against diseases including hepatitis B and tetanus in the manner as prescribed in the National Immunisation Policy or the guidelines of the Ministry of Health and Family Welfare, issued from time to time.
 3. Ensure occupational safety of all health care workers and others involved in handling of BMW by providing appropriate and adequate Personnel Protective Equipments (PPE).
 4. Conduct health check up at the time of induction and at least once in a year for all its health care workers and others involved in handling of BMW and maintain the record for the same.
 5. Maintain an update on day to day basis, the BMW register and display the monthly record on its website according to the BMW generated in terms of category and color coding, as specified in Schedule I.
 6. Establish a system to review and monitor the activities related to BMW, either through an existing committee or by forming a new committee and the committee shall meet once in every six months and the record of the minutes of the meeting of this committee shall be submitted along with the annual report to the prescribed authority and the health care facilities having less than thirty beds shall designate a qualified person to review and monitor activities relating to BMW within that facility and submit the annual report.
 7. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorised person shall report the accident in Form I of the rules to the JKPC at forthwith.
 8. Every applicant shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these rules and any guidelines issued.
 9. All records shall be subject to inspection and verification by the JKPC at any time.
11. Every applicant shall submit an annual report in Form – IV on or before 30th June every year for the period from January to December, which shall include information about the categories & quantities, of BMW handled during the preceding year.
12. The applicant shall be further required to obtain the following from the JKPC: (which ever is applicable)
 1. Consent under the Water (Prevention and Control of Pollution) Act, 1974.
 2. Consent under the Air (Prevention and Control of Pollution).
 3. The Hazardous & Other Waste (Management & Trans boundary Movement) Rules, 2016.
 4. The Solid Waste Management Rules, 2016.
 5. The Plastic Waste Management Rules, 2016.
 6. To return used batteries to authorized dealers, as per the Batteries (Management & Handling) Rules, 2001 and amendments thereof.
 7. The authorization granted shall lapse at any time, if the facility does not comply with the parameters, as required under rules or any condition of this authorization order is not complied with.

B





- 8) To make a provision within the premises for a safe, ventilated and secured location for storage of segregated bio-medical waste in colored bags or containers in the manner as specified in Schedule I
- 9) To establish a Bar-Code System for bags or containers containing bio-medical waste to be sent out of the premises or place for any purpose immediately.
- 10) To phase out use of chlorinated plastic bags (excluding blood bags) and gloves immediately.
- 11) Not to dispose off treated bio- medical waste with municipal Solid Waste.
- 12) To make available annual report on its web-site immediately.
- 13) The Proprietor should apply 60 days in advance for renewal of authorization before the expiry of same.


SPECIFIC CONDITIONS:-

1. The Hospital Management has to operate all requisite pollution control devices in the Hospital as envisaged under Bio-Medical Waste Management & Handling Rules.
2. The Hospital Management shall adhere to general terms and conditions of Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 and ensure compliance of environment standards as per EP Act 1986 and as amendments made thereof.
3. The Hospital Management shall handover the waste generated to CBMWTF.
4. The Hospital Management shall install Colour coding bins with proper labelling in the hospital. Segregation of waste must be done at sources.
5. The Hospital Authority shall file Form-V [Sec rules 13](Annual Report) before 30th June every year for the period from January to December of the preceding year and the same be submitted to the concerned Divisional Officer, Pollution Control Committee before 30th June failing which consent shall revoked/cancelled.
6. To Maintain and update on day to day basis the bio-medical waste management registrar and display monthly record as well as Annual Report on the website according to the BMW generated in terms of category and Colour Coding and strict monitoring by concerned D.O.,PCC


"This Authorization is issued purely from environmental angle and the JKPC shall not be responsible for any claim, ownership, proprietorship etc. of the facility".

Penalty Provisions:

If the applicant fails to comply with the terms and conditions and other directives issued by this PCC as laid down in this order, the applicant is liable for prosecution under Section 15 of the Environment (Protection) Act 1986 and other penal provisions of the Act and shall on conviction be liable for punishment and imprisonment as provided in the said Act.


(J.N.Sharma)
Environmental Engineer

'By Order'


Member Secretary 09/05/22

Copy to the :

1. Regional Director PCC Kashmir for information and ensure the implementation of conditions as above.
2. Director Health, J&K, Kashmir for information.
3. D.O PCC Budgam for the direction to monitor the conditions of the Authorization stated above.
4. P.A. to Chairperson, J&K PCC for information of the Chairperson
5. Sh. Abdul Rashid Baht, M/s IBN SINA Hospital, Ompora, Budgam, Kashmir (J&K)for compliance of above said conditions.
6. Office file



J&K POLLUTION CONTROL COMMITTEE
Jammu/Kashmir (www.jkspcb.nic.in)

FORM III see rule 10

**AUTHORIZATION (RENEWAL) FOR OPERATING A FACILITY FOR GENERATION ,
COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIO-
MEDICAL WASTE**

To

Abdul Rashid Bhat.

**M/s IBN SINA HOSPITAL,
Ompora, Budgam (J&K)**

The Committee has scrutinized the information furnished by you and the proposal for management & handling of Bio-Medical Waste generated at your location mentioned below. After a careful consideration, it has been decided to grant authorization under Bio-Medical Waste Management Rules, 2016 (herein after to be called as BMWM Rules) for a period and premises mentioned in this authorization

Authorization No-JKPCB/HO/BMW/2856150

Dated 10-10-2022

M/s IBN Sina Hospital is hereby granted an authorization to operate a facility for generation, segregation, collection, storage, packaging, Pretreatment, Transport and disposal of Bio-Medical Waste in the hospital is as under:

Type of waste category	Qty. Handled
Yellow	60 Kg/day
Red	80 Kg/ day
Blue	65 Kg/ day
White	92 Kg/ day

This authorization (Renewal) shall be in force for a period upto **31/03/2023** with **39 Beds** capacity.

This authorization is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection), Act, 1986.

Terms and Conditions of Authorization

1. The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorization or its renewals shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the Bio-Medical Wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorization.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility.

Additional Terms and Conditions of Authorization

6. Treatment & Disposal of Bio-Medical Waste.
Waste shall be treated & disposed off in accordance with schedule-I of the rules and in compliance with the standards prescribed in Schedule-V of the rules.

The industry can apply for Renewal/Expansion of Consent on the Site www.jkocmms.nic.in directly



2) The applicant shall set up requisite Bio-Medical Waste treatment facilities like autoclave, microwave system etc. wherever required for the treatment of waste or ensure treatment of waste at a common waste facility or any other waste treatment facility.

3) Standards for Incinerators:

- a) Combustion efficiency shall be at least 99.00 %.
- b) The temperature of the primary chamber shall be $800 \pm 50^\circ\text{C}$.
- c) The secondary chamber gas residence time shall be at least 1 (one) second at $1050 \pm 50^\circ\text{C}$ with minimum 3% oxygen in the stack gas.
- d) Minimum Stack height – 30 meters above ground.
- e) Emission standards should conform to the following:

<u>Parameters</u>	<u>Maximum Permissible Limit</u> mg/Nm ³ at (12 % CO ₂ correction)
Particulate matter	150
Nitrogen Oxides	450
HCl	50

- a) Volatile organic compounds in ash shall not be more than 0.01%.
 - b) Suitably designed air pollution control devices should be installed/retrofitted with the incinerator to achieve the above emission limits, if necessary.
 - c) Waste to be incinerated shall not be chemically treated with any chlorinated disinfectants.
 - d) Chlorinated plastics shall not be incinerated.
 - e) Toxic metals in incineration ash shall be limited within the regulatory quantities as defined under the Hazardous Waste (Management & Handling) Rules, 1989.
 - f) Only low sulphur fuels like L.D.O/L.S.H.S/Diesel shall be used as fuel in the incinerator.
 - g) A logbook for the operation & maintenance of incinerators shall be maintained including details of waste received, waste incinerated, fuel consumption etc.
- 4) Standards for waste autoclaving, micro waving as well as deep burial shall be as per Schedule V of the rules.

5) Effluent Standards:

The effluent generated should conform to the following limits:

<u>Parameters</u>	<u>Maximum Permissible Limit</u>
pH	6.5 to 9.0
Suspended Solids	100 mg/l
Oil & Grease	10 mg/l
BOD	30 mg/l
COD	250 mg/l
Bio-assay test	90% survival of fish after 96 hours in 100% effluent

6) Segregation & Storage of Bio-Medical Wastes:

- a) Bio-Medical Waste shall not be mixed with other wastes.
- b) Bio-Medical Waste shall be segregated into containers/bags at the point of generation in accordance with schedule II of the rules prior to its storage, transportation, treatment and disposal. The containers shall be labeled according to Schedule III of the rules.
- c) At the storage site "Bio-Medical Waste Storage Site" & "Danger" sign Committees shall be prominently displayed.
- d) The applicant shall take all steps to ensure that such Bio-Medical Waste is handled without any adverse effect to human health and the environment.
- e) The containers for storing segregated wastes shall be clearly identifiable. Colour coding of waste categories with multiple treatment options as defined in Schedule I, shall be selected depending on treatment option chosen, which shall be as specified in Schedule I of the rules.



The industry can apply for Renewal/Expansion of Consent on the Site www.jkocmms.nic in directly

- f) No untreated Bio-Medical Waste shall be kept stored beyond a period of 48 hours provided that if for any reason it becomes necessary to store the waste beyond such period, the authorised person must take permission of the prescribed authority and take measures to ensure that the waste does not adversely affect human health and the environment.

7. Transportation of Bio-Medical Waste:

- i. If a container is transported from the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises, the container shall, apart from the label prescribed in Schedule III of the rules, also carry information prescribed in Schedule IV of the rules.
- ii. Untreated Bio-Medical Waste shall be transported only in such vehicles as may be authorised for the purpose by the competent authority. The transport vehicles shall be prominently labeled as per symbols shown in Schedule III of the rules.

8. General Conditions:

- i. When any accident occurs at any institution or facility or any other site where Bio-Medical Waste is handled or during-transportation of such waste the authorised person shall report the accident in Form III of the rules to the Committee forthwith.
- ii. Every applicant shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of Bio-Medical Waste in accordance with these rules and any guidelines issued.
- iii. All records shall be subject to inspection and verification by the Committee at any time.
- iv. Every applicant shall submit an annual report in Form II by 31st January every year, which shall include information about the categories & quantities of Bio-Medical Waste handled during the preceding year.
- v. The applicant shall be further required to obtain the following from the Committee:
 - a) Consent under the Water (Prevention and Control of Pollution) Act, 1974.
 - b) Consent under the Air (Prevention and Control of Pollution) Act, 1981.
 - c) Authorization under the Hazardous Wastes (Management and Handling) Rules-1989.
 - d) Authorization to operate the DG Set.
- vi. The authorization granted shall lapse at any time if the facility does not demonstrate the parameters, as required under rules or any condition of this authorization order is not complied with.
- vii. The authority of hospital shall ensure the scientific disposal of Bio Medical waste generated by the hospital strictly as per BMW(M&H) rules 1998 as amended and through CBMWTF duly authorized by Committee.
- viii. Mercury generated due to the breakage of medical equipments such as thermometer , B.P apparatus etc. , should not be disposed off along with Bio-Medical or general Waste. It should be separately handled and disposed as per Hazardous Waste (Management & Handling) Amendment Rules, 2003. Mercury and Mercury compounds waste with concentration limit equal to or more than 50 mg/Kg has to be disposed off as per the said rules.
- ix. Proper labeling (Bio Hazardous) should be done which should be non washable and permanently visible.
- x. Mutilation & treatment should be given to waste sharps (cat 04) before it is sent to the Common Bio Medical Waste Treatment facility.
- xi. The authority should apply 60 days in advance for renewal of authorization before expiry of same.
- xii. The emissions or discharge of environmental pollutants from the hospital shall not exceed the relevant parameters and standards for the said hospital operation or process specified under respective schedules of the Environment (Protection) Rules , 1986 as amended from time to time.
- xiii. This authorization is issued with the condition that proof of ETP and self monitoring report shall be submitted within three months along with proof of Solid Waste disposal facility under SWM Rules , progress of phasing out use of chlorinated plastic bags , gloves and blood bags , proof of digital weighing machine and scanner , log book of BMW and bar code management software working and receipt of data and reflection on to the website , annual report , insurance cover of waste handlers and training given to such hospital staff etc. .



Penalty Provisions:

If the applicant fails to comply with the terms and conditions and other directives issued by this Committee as laid down in this order, the applicant is liable for prosecution under Section 15 of the Environment (Protection) Act 1986 and other penal provisions of the Act and shall on conviction be liable for punishment and imprisonment as provided in the said Act.

J N Sharma
10/10/22
J N Sharma
Environment Engineer

Member Secretary
10/10/22
B

Copy to the:-

1. Regional Director, J&K PCC Kashmir for information.
2. Director, Health Department, Kashmir for information.
3. PSO, Jammu for information.
4. P.A to Chairperson J&K PCC for the information of Chairperson.
5. M/s IBN Sina Hospital, Ompora, Budgam for information
6. Office File



The unit holder may download the list of standards from website jkspcb.nic.in and cpcb.nic.in to be complied under the Environment Protection Act, 1986 read with Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981

This is computer generated document from OCMMS by JKSPCB

The industry can apply for Renewal/Expansion of Consent on the Site www.jkocmms.nic.in directly